## Claim Amendments

## Claims 1 - 3 (cancelled)

1	Claim 4 (Currently Amended) A pyrotechnic initiator
. 2	comprising:
3	an electrically energizable initiator bridge composed of
4	<u>a metal;</u>
5	a reactive layer on said electrically energizable
6	initiator bridge for liberation of energy upon electrical
7	energization of said electrically energizable initiator bridge,
8	said reactive layer being comprised of metal capable of liberating
9	energy by alloying with the metal of said electrically energizable
10	initiator bridge, said reactive layer being applied to said
11	electrically energizable initiator bridge in the form of a streak
12	or spaced apart islets; and
13	a thin electrically insulating layer between said
14	electrically energizable initiator bridge and said reactive layer,
15	The pyrotechnic initiator defined in claim 3 wherein said
16	electrically insulating layer is being an oxide or nitride of a
17	metal of the reactive layer.
-	

6. (Previously amended) The pyrotechnic initiator
defined in claim 4 wherein said reactive layer is comprised of a
metal selected from the group which consists of titanium, hafnium,
niobium, tantalum, aluminum and nickel.

Pat. App. 10/081,884

Atty's 22123 '

Claim 7 (Currently Amended) A pyrotechnic initiator 1 comprising: 2 an electrically energizable initiator bridge composed of 3 a metal; 4 a reactive layer on said electrically energizable .5 initiator bridge for liberation of energy upon electrical 6 energization of said electrically energizable initiator bridge, 7 said reactive layer being comprised of metal capable of liberating 8 energy by alloying with the metal of said electrically energizable 9 initiator bridge, The pyrotechnic initiator defined in claim 1 10 said electrically energizable initiator bridge is being 11 composed of at least one metal selected from the group which 12 consists of gold and palladium, and said reactive layer comprises 13 nickel. 14

- 8. (previously amended) The pyrotechnic initiator
  defined in claim 7, further comprising an ignition promotor in a
  region of said electrically energizable initiator bridge and said
  reactive layer.
- 9. (currently amended) The pyrotechnic initiator

  defined in claim 1 wherein A pyrotechnic initiator comprising:

  an electrically energizable initiator bridge composed of

  a metal;

  a reactive layer on said electrically energizable

  initiator bridge for liberation of energy upon electrical

Pat. App. 10/081,884

13

- energization of said electrically energizable initiator bridge,

  said reactive layer being comprised of metal capable of liberating

  energy by alloying with the metal of said electrically energizable

  initiator bridge, the electrically energizable initiator bridge is

  being composed of at least one metal selected from the group of

  platinum and other platinum-group metals, and the reactive layer
  - 10. (Cancelled)

comprises aluminum.

(presently amended) A pyrotechnic initiator 11. 1 comprising: 2 an electrically energizable initiator bridge composed of 3 a metal; 4 a reactive layer on said electrically energizable 5 initiator bridge for liberation of energy upon electrical 6 energization of said electrically energizable initiator bridge, said reactive layer being comprised of metal capable of liberating 8 energy by alloying with the metal of said electrically energizable 9 10 initiator bridge a thin electrically insulating layer between said 11 electrically energizable initiator bridge and said reactive layer 12 The pyrotechnic initiator defined in claim 10 wherein 13 said electrically insulating layer is being an oxide or nitride of 14 a metal of the reactive layer. 15

Pat. App. 10/081,884

Atty's 22123 `

(presently amended) The pyrotechnic initiator 1 13. defined in claim 1 wherein A pyrotechnic initiator comprising: 2 an electrically energizable initiator bridge composed of 3 a metal; 4 a reactive layer on said electrically energizable .5 initiator bridge for liberation of energy upon electrical 6 energization of said electrically energizable initiator bridge, 7 said reactive layer being comprised of metal capable of liberating 8 energy by alloying with the metal of said electrically energizable initiator bridge, said reactive layer is being comprised of a 10 metal selected from the group which consists of titanium, hafnium, 11 niobium, tantalum, aluminum and nickel. 12

Claims 14, 15, 16 and 17 (cancelled).